Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	578	717/124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 14:33
L2	223	717/125.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 14:33
L3	162	717/125.ccls. and (remote$2 or network or distributed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 14:34
L4	157	717/125.ccls. and (remote$2 or network or distributed) and (component or module or object or bean or ejb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 14:34
L5	414	717/124.ccls. and (remote$2 or network or distributed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 14:34
L6	400	717/124.ccls. and (remote$2 or network or distributed) and (component or module or object or bean or ejb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 14:37
L7	182	717/124.ccls. and (remote$2 or network or distributed) and (object or component or module or object or bean or ejb) and (record$3 or log$4 or analyz$3) and performance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 14:35
L8	48	717/124.ccls. and (remote$2 or network or distributed) near2 test$3 and (component or module or object or bean or ejb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 14:37
S1	368	717/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 16:32

S2	143	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 16:32
S3	2221	(graphic$4 or visual$2 or icon$6) near3 (develop$4 or creat$3) and (data-min$3 or spy or spyware or datamin$3 or ((monitor$3 or track$3) near2 (subscriber or user or client)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:54
S4	73	((multi-modal) or (multi-channel)) near3 subscriber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:55
S5	1	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:37
S6	110	(graphic$4 or visual$2 or icon$6) near3 (develop$4 or creat$3) same (data-min$3 or spy or spyware or datamin$3 or ((monitor$3 or track$3) near2 (subscriber or user or client)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 16:39
S7	46	(graphic$4 or visual$2 or icon$6) near3 (develop$4 or creat$3) same (data-min$3 or spy or spyware or datamin$3 or ((monitor$3 or track$3) near2 (subscriber or user or client))) and (session or transaction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 16:39
S8	10	(graphic$4 or visual$2 or icon$6) near3 (develop$4 or creat$3) same (data-min$3 or spy or spyware or datamin$3 or ((monitor$3 or track$3) near2 (subscriber or user or client))) and ((custom$4 or personal$4) near3 (gui or ui or interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 16:41
S9	56	(graphic$4 or visual$2 or icon$6) near3 (develop$4 or creat$3) same (data-min$3 or spy or spyware or datamin$3 or ((monitor$3 or track$3) near2 (subscriber or user or client))) and content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 16:41

S10	5	S7 and S8 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 16:44
S11	5	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 16:44
S12	34	S7 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 16:50
S13	0	717/10?.ccls and (subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:51
S14	1659	(program$4 near3 develop$4) and (subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 17:12
S15	154	(program$4 near3 develop$4)same (subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:52
S16	5	(program$4 near3 develop$4)same plurality near5 (subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:53
S17	0	sesion same plurality near5 (subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:54
S18	228	session same plurality near5 (subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:54
S19	78	session same plurality near5 (subscriber) and (gui or ui or interface) and (visual$2 or graphical$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:07

S20	23	session same plurality near5 (subscriber) and (gui or ui or interface) and (visual$2 or graphical$2) and (device near3 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:55
S21	0	("6834195").URPN.	USPAT	OR	OFF	2005/02/17 16:58
S22	9	("20010044310" | "20030006913" | "20030060211" | "6449485" | "6529728" | "6580914" | "6608556" | "6611687" | "6677894").PN. OR ("6834195"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 17:04
S23	0	((multi-modal) or (multi-channel)) near3 subscriber and (resum$3 near3 session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:07
S24	510	gam$3 and session same (resum$3 or resumption or continu$5 or reinitiat$3) and (id or identifier or unique) same (subscriber or client or multi-channel or multi-modal or multichannel or multimodal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 08:54
S25	1132610	sequenc$3 or "out of sequence" and (optimi$3 or personal$3 or custom$7) near3 (content or page or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 11:21
S26	371	S24 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 11:23
S27	88	S24 and S25 and detect$3 near3 (device or peripheral or hardware or type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 11:23
S28	171	S24 and S25 and (template or framework) and (xml or ml or markup or html or sgml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 11:25
S29	57	S27 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 11:25

S30	0	gam$3 near5 session near5 (resum$3 or resumption or continu$5 or reinitiat$3) and (id or identifier or unique) same (subscriber or client or multi-channel or multi-modal or multichannel or multimodal) and (id or identifier or uniqeu$2) and detect$3 near3 (device or hardware or peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 11:43
S31	0	gam$3 near5 session same (continu$5 or resum$3 or resumption or continu$5 or reinitiat$3) and (id or identifier or unique) same (subscriber or client or multi-channel or multi-modal or multichannel or multimodal) and (id or identifier or uniqeu$2) and detect$3 near3 (device or hardware or peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 11:45
S32	2	(gam$3 near5 session) same (continu$5 or resum$3 or resumption or continu$5 or reinitiat$3) and (id or identifier or unique) same (user or subscriber or client or multi-channel or multi-modal or multichannel or multimodal) and (id or identifier or uniqeu$2) and detect$3 near3 (device or hardware or peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 11:44
S33	0	("6577733").URPN.	USPAT	OR	OFF	2005/02/22 11:44
S34	229	session same (continu$5 or resum$3 or resumption or continu$5 or reinitiat$3) and (id or identifier or unique) same (subscriber or client or multi-channel or multi-modal or multichannel or multimodal) and (id or identifier or uniqeu$2) and detect$3 near3 (device or hardware or peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 11:45
S35	93	session near5 (continu$5 or resum$3 or resumption or continu$5 or reinitiat$3) and (id or identifier or unique) same (subscriber or client or multi-channel or multi-modal or multichannel or multimodal) and (id or identifier or uniqeu$2) and detect$3 near3 (device or hardware or peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 11:53

S36	25	session near5 (continu$5 or resum$3 or resumption or continu$5 or reinitiat$3) and (id or identifier or unique) same (subscriber or client or multi-channel or multi-modal or multichannel or multimodal) and (id or identifier or uniqeu$2) and detect$3 near3 (device or hardware or peripheral) and (journal$3 or record$3 or log$4) same (disconnect$3 or reconnect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 14:39
S37	1	"6546425".pn. and resum$5 and (id or identifier or unique)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 14:39
S38	1	"6546425".pn. and resum$5 and (id or identifier or unique) and (gui or ui or (user adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:51
S39	3353	(develop$4 or creat$3 or generat$3) near3 (graphical$2 or visual$2 or icon$6) near3 (program or application or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:57
S40	2954	(develop$4 or creat$3 or generat$3) near3 (graphical$2 or visual$2 or icon$6) near3 (program or application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:54
S41	2224	(graphic$4 or visual$2 or icon$6) near3 (develop$4 or creat$3) and (data-min$3 or spy or spyware or datamin$3 or ((monitor$3 or track$3) near2 (subscriber or user or client)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:56
S42	73	((multi-modal) or (multi-channel)) near3 subscriber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:55
S43	1	S39 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:55

S44	34	(graphic$4 or visual$2 or icon$6) near3 (develop$4 or creat$3) and (data-min$3 or spy or spyware or datamin$3 or ((monitor$3 or track$3) near2 (subscriber or user or client))) and (plurality near3 subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 16:57
S45	319	(develop$4 or creat$3 or generat$3) near3 (graphical$2 or visual$2 or icon$6) near3 (program or application or module) and 717/1??.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:57
S46	18	(develop$4 or creat$3 or generat$3) near3 (graphical$2 or visual$2 or icon$6) near3 (program or application or module) and 717/1??.ccls. and subscriber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:57
S47	17	("5974252").URPN.	USPAT	OR	OFF	2005/02/22 17:01
S48	0	("5974252").URPN. and 717/109. ccls.	USPAT	OR	OFF	2005/02/22 17:01
S49	5	(program$4 near3 develop$4) and (subscriber) and 717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 17:13
S50	0	(graphic$4 or visual$2 or icon$6) near3 (develop$4 or creat$3) and detect$3 near5 "out of sequence" near5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 07:53
S51	0	(detect$3 near5 "out of sequence") near5 request same subscriber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 07:53
S52	0	(detect$3 near5 "out of sequence") same subscriber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 07:54
S53	0	("out of sequence") same subscriber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 07:54
S54	3017	request near5 (count$3 or number) same subscriber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 07:55

S55	28	(monitor$3 or track$3) near3 (request near5 (count$3 or number)) same subscriber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 07:56
S56	28	(monitor$3 or track$3) near3 (request near5 (count$3 or number)) same subscriber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:10
S57	413	subscriber and (generat$3 or produc$3 or output$4) near3 (content or display or web or page or output) near3 (personalized or optimized or custom$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:12
S58	273	subscriber and (generat$3 or produc$3 or output$4) near3 (presentation or content or display or web or page or output) near3 (personalized or optimized or custom$7) and parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:14
S59	91	subscriber and (generat$3 or produc$3 or output$4) near3 (format$4 or presentation or content or display or web or page or output) near3 (personalized or optimized or custom$7) and parameter and ("data min$3" or (monitor$3 near3 usage) or spy or spyware or cookie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:54

| S60 | 98 | ("5349678" \| "5377326" \| "5392390" \| "5410543" \| "5426594" \| "5666530" \| "5666553" \| "5673322" \| "5684828" \| "5684990" \| "5694546" \| "5727129" \| "5727159" \| "5727202" \| "5732074" \| "5740364" \| "5754774" \| "5768511" \| "5790977" \| "5794259" \| "5799063" \| "5802292" \| "5805807" \| "5809242" \| "5813007" \| "5832489" \| "5850517" \| "5862339" \| "5862346" \| "5864676" \| "5873100" \| "5877766" \| "5881234" \| "5884323" \| "5890158" \| "5895471" \| "5896502" \| "5906657" \| "5918013" \| "5918237" \| "5922045" \| "5928329" \| "5937163" \| "5943676" \| "5946697" \| "5948066" \| "5953392" \| "5954795" \| "5961601" \| "5961602" \| "5974238" \| "5978828" \| "5978833" \| "5978842" \| "5987454" \| "5987476" \| "5987499" \| "5991800" \| "6000000" \| "6006231" \| "6006274" \| "6009462" \| "6012083" \| "6021433" \| "6023698" \| "6023708" \| "6026474" \| "6029175" \| "6029195" \| "6032162" \| "6035324" \| "6041360" \| "6049821" \| "6052735" \| "6058416" \| "6061718" \| "6065051" \| "6065059" \| "6070184" \| "6076109" \| "6085192" \| "6119167" \| "6131096" \| "6148330" \| "6161146" \| "6167255" \| "6195692" \| "6209027" \| "6209111" \| "6226650").PN. OR ("6341316").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/02/23 08:26 |

| S61 | 1880 | ("5349678" \| "5377326" \| "5392390" \| "5410543" \| "5426594" \| "5666530" \| "5666553" \| "5673322" \| "5684828" \| "5684990" \| "5694546" \| "5727129" \| "5727159" \| "5727202" \| "5732074" \| "5740364" \| "5754774" \| "5768511" \| "5790977" \| "5794259" \| "5799063" \| "5802292" \| "5805807" \| "5809242" \| "5813007" \| "5832489" \| "5850517" \| "5862339" \| "5862346" \| "5864676" \| "5873100" \| "5877766" \| "5881234" \| "5884323" \| "5890158" \| "5895471" \| "5896502" \| "5906657" \| "5918013" \| "5918237" \| "5922045" \| "5928329" \| "5937163" \| "5943676" \| "5946697" \| "5948066" \| "5953392" \| "5954795" \| "5961601" \| "5961602" \| "5974238" \| "5978828" \| "5978833" \| "5978842" \| "5987454" \| "5987476" \| "5987499" \| "5991800" \| "6000000" \| "6006231" \| "6006274" \| "6009462" \| "6012083" \| "6021433" \| ("6023698" \| "6023708" \| "6026474" \| "6029175" \| "6029195" \| "6032162" \| "6035324" \| "6041360" \| "6049821" \| "6052735" \| "6058416" \| "6061718" \| "6065051" \| "6065059" \| "6070184" \| "6076109" \| "6085192" \| "6119167" \| "6131096" \| "6148330" \| "6161146" \| "6167255" \| "6195692" \| "6209027" \| "6209111" \| "6226650").PN. OR ("6341316").URPN.) and (graphical$2 or visual$2 or icon$6) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/02/23 08:28 |

| S62 | 78 | ("5349678" \| "5377326" \| "5392390" \| "5410543" \| "5426594" \| "5666530" \| "5666553" \| "5673322" \| "5684828" \| "5684990" \| "5694546" \| "5727129" \| "5727159" \| "5727202" \| "5732074" \| "5740364" \| "5754774" \| "5768511" \| "5790977" \| "5794259" \| "5799063" \| "5802292" \| "5805807" \| "5809242" \| "5813007" \| "5832489" \| "5850517" \| "5862339" \| "5862346" \| "5864676" \| "5873100" \| "5877766" \| "5881234" \| "5884323" \| "5890158" \| "5895471" \| "5896502" \| "5906657" \| "5918013" \| "5918237" \| "5922045" \| "5928329" \| "5937163" \| "5943676" \| "5946697" \| "5948066" \| "5953392" \| "5954795" \| "5961601" \| "5961602" \| "5974238" \| "5978828" \| "5978833" \| "5978842" \| "5987454" \| "5987476" \| "5987499" \| "5991800" \| "6000000" \| "6006231" \| "6006274" \| "6009462" \| "6012083" \| "6021433" \| ("6023698" \| "6023708" \| "6026474" \| "6029175" \| "6029195" \| "6032162" \| "6035324" \| "6041360" \| "6049821" \| "6052735" \| "6058416" \| "6061718" \| "6065051" \| "6065059" \| "6070184" \| "6076109" \| "6085192" \| "6119167" \| "6131096" \| "6148330" \| "6161146" \| "6167255" \| "6195692" \| "6209027" \| "6209111" \| "6226650").PN. OR ("6341316").URPN.) and (graphical$2 or visual$2 or icon$6) near3 develop$4 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/02/23 08:29 |

| S63 | 4 | (("5349678" \| "5377326" \| "5392390" \| "5410543" \| "5426594" \| "5666530" \| "5666553" \| "5673322" \| "5684828" \| "5684990" \| "5694546" \| "5727129" \| "5727159" \| "5727202" \| "5732074" \| "5740364" \| "5754774" \| "5768511" \| "5790977" \| "5794259" \| "5799063" \| "5802292" \| "5805807" \| "5809242" \| "5813007" \| "5832489" \| "5850517" \| "5862339" \| "5862346" \| "5864676" \| "5873100" \| "5877766" \| "5881234" \| "5884323" \| "5890158" \| "5895471" \| "5896502" \| "5906657" \| "5918013" \| "5918237" \| "5922045" \| "5928329" \| "5937163" \| "5943676" \| "5946697" \| "5948066" \| "5953392" \| "5954795" \| "5961601" \| "5961602" \| "5974238" \| "5978828" \| "5978833" \| "5978842" \| "5987454" \| "5987476" \| "5987499" \| "5991800" \| "6000000" \| "6006231" \| "6006274" \| "6009462" \| "6012083" \| "6021433" \| "6023698" \| "6023708" \| "6026474" \| "6029175" \| "6029195" \| "6032162" \| "6035324" \| "6041360" \| "6049821" \| "6052735" \| "6058416" \| "6061718" \| "6065051" \| "6065059" \| "6070184" \| "6076109" \| "6085192" \| "6119167" \| "6131096" \| "6148330" \| "6161146" \| "6167255" \| "6195692" \| "6209027" \| "6209111" \| "6226650").PN. OR ("6341316").URPN.) and (graphical$2 or visual$2 or icon$6) near3 develop$4 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/02/23 08:29 |
| S64 | 61 | subscriber and (format$4 or presentation or content or display or web or page or output) near3 (personalized or optimized or custom$7) same ((html or ml or xml or markup) and (template or framework)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 09:04 |

S65	2	"6049664".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:28
S66	2	"6553412".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:33
S67	2397	709/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:34
S68	5105	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:35
S69	2879	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:34
S70	7	709/227.ccls. and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:34
S71	17	709/203.ccls. and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:35
S72	158	((wireless or cellular or mobile) and (voice or pstn) and (wire$2 or line or internet or network$3)) near3 (access$3 or link$3 or connect$3 or via) near3 (application or content or program or module or site or page or web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 14:56

S73	8	((wireless or cellular or mobile or handheld or pda) and (voice or speech or pstn) and (wire$2 or line or internet or network$3)) near3 (access$3 or link$3 or connect$3 or via) near3 (application or content or program or module or site or page or web) and ((anytime or anywhere or push or pull of offline) near2 access$3) and ("access terminal" or "web browser" or browser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 14:45
S74	9	((wireless or cellular or mobile or handheld or pda or wap or smart) and (voice or speech or pstn) and (wire$2 or line or internet or network$3 or "tcp/ip")) near3 (access$3 or link$3 or connect$3 or via) near3 (application or content or program or module or site or page or web) and ((anytime or anywhere or push or pull of offline) near2 access$3) and ("access terminal" or "web browser" or browser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 14:54
S75	299	((wireless or cellular or mobile or handheld or pda or wap or smart) and (voice or speech or pstn) and (wire$2 or line or internet or network$3 or "tcp/ip")) same detect$3 near3 (client or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 14:56
S76	299	((wireless or cellular or mobile or handheld or pda or wap or smart) and (voice or speech or pstn) and (wire$2 or line or internet or network$3 or "tcp/ip")) same detect$3 near3 (client or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 08:38
S77	2	S72 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 14:57
S78	8	("6577733" "6546425" "6049644").pn. or "20030126584"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 15:09
S79	242	remote$2 near3 "access application"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 15:10

S80	2	S72 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 15:10
S81	246	remote$2 near3 access$3 near3 modes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 15:11
S82	0	S72 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 15:11
S83	75	remote$2 near3 access$3 near3 modes and ((wireless or cellular or mobile or handheld or pda or wap or smart) and (voice or speech or pstn) and (wire$2 or line or internet or network$3 or "tcp/ip"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 15:11
S84	158	"anywhere access"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 17:16
S85	2	"anywhere access" and ((wireless or cellular or mobile or handheld or pda or wap or smart) and (voice or speech or pstn) and (wire$2 or line or internet or network$3 or "tcp/ip")) same detect$3 near3 (client or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 17:17
S86	28	(anywhere near3 access$3) and ((wireless or cellular or mobile or handheld or pda or wap or smart) and (voice or speech or pstn) and (wire$2 or line or internet or network$3 or "tcp/ip")) same detect$3 near3 (client or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 07:39
S87	1	"6938080".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 07:39

S88	16	("5784463" | "5964891" | "5970473" | "5991746" | "6006266" | "6049877" | "6158011" | "6233565" | "6304578" | "6324267" | "6341127" | "6341353" | "6363434" | "6470378" | "6516416" | "6563793").PN. OR ("6938080").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 08:04
S89	16	(("5784463" | "5964891" | "5970473" | "5991746" | "6006266" | "6049877" | "6158011" | "6233565" | "6304578" | "6324267" | "6341127" | "6341353" | "6363434" | "6470378" | "6516416" | "6563793").PN. OR ("6938080").URPN.) and (lan internet network wireless "carrier wave" phone pda voice speech cellular mobile handheld wap smart)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 08:09
S90	3254	((wireless or cellular or mobile or handheld or pda or wap or smart) and (voice or speech or pstn or phone or videophone) and (wire$2 or line or internet or network$3 or "tcp/ip" or lan or wan)) same (plurality or multi$3 or multi-channel or "two or more") near2 (link or connection or protocol or communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 08:53
S91	585	gam$3 and session same (resum$3 or resumption or continu$5 or reinitiat$3) and (id or identifier or unique) same (subscriber or client or multi-channel or multi-modal or multichannel or multimodal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 08:55
S92	26	S90 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 09:07
S93	828	execut$3 near3 (multiple or multi or plurality) near2 (connection or link or access or channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 09:09

S94	1	execut$3 near3 (multiple or multi or plurality or "one or more" or "two or more") near2 (connection or link or access or channel) same ((plurality or multiple or "one or more" or "two or more") adj subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 09:26
S95	47340	(markup or "mark-up" or ml or xml or sgml or html) and (associat$3 or map$4 or relat$3 or identify or identifi$4 or specific or specify) adj (device or peripheral or type or computer or pda or laptop or cellular or wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 09:36
S96	1457	(associat$3 or map$4 or relat$3 or identify or identifi$4 or specific or specify) adj (markup or "mark-up" or ml or xml or sgml or html) and (associat$3 or map$4 or relat$3 or identify or identifi$4 or specific or specify) adj (device or peripheral or type or computer or pda or laptop or cellular or wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 09:37
S97	5	S93 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:40
S98	1	"20020138617" and execut$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:41
S99	1	"20020138617" and subscribers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:42
S100	0	"20020138617" and subscription	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:43
S101	1	"20020138617" and dsl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:01

S10 2	1	"20020138617" and (id or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:01
S10 3	2	"20020138617" and (id or identification or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 07:15
S10 4	1	"20020138617" and (billing or charges)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:12
S10 5	1	"20020138617" and (new)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:15
S10 6	0	"20020138617" and (start$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:15
S10 7	0	"20020138617" and (begin$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 11:09
S10 8	1913	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 11:10
S10 9	193	709/225.ccls. and session and device and (markup or xml or ml) and (internet or desktop or wireless or cellular or phone or smart or telephone or pda or mobile or pager or laptop or voice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 11:12
S11 0	261	709/225.ccls. and (session or transaction) and device and (markup or xml or ml) and (internet or desktop or wireless or cellular or phone or smart or telephone or pda or mobile or pager or laptop or voice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 11:13

| S11 1 | 5 | 709/225.ccls. and (session or transaction) and (detect$3 near2 device) and (genera$3 near2 (content or output)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/01 11:13 |

Subscribe (Full Service)   Register (Limited Service, Free)   Lo

Search: ⦿ The ACM Digital Library   ○ The Guide

+test +ejb

THE ACM DIGITAL LIBRARY   ⓘ Feedback Report a problem Satisfaction su|

Published since June 1990 and Published before January 1999
Terms used **test ejb**

Found **9** of 4S

Sort results by   [relevance ▼]   ◆ Save results to a Binder   Try an Advanced Search
                                           ？ Search Tips   Try this search in The ACM Guide
Display results   [expanded form ▼]   ☐ Open results in a new
                                           window

Results 1 - 9 of 9

Relevance scale ☐ ☐ ▣

1 Automatic extraction of subcategorization from corpora
   Ted Briscoe, John Carroll
   March 1997 **Proceedings of the fifth conference on Applied natural language processing**
   Full text available: 📄 pdf(874.16
                       KB) 📄   Additional Information: full citation, abstract, references, citings
                       Publisher Site

   We describe a novel technique and implemented system for constructing a subcategorization
   dictionary from textual corpora. Each dictionary entry encodes the relative frequency of occurrence
   of a comprehensive set of subcategorization classes for English. An initial experiment, on a sample
   of 14 verbs which exhibit multiple complementation patterns, demonstrates that the technique
   achieves accuracy comparable to previous approaches, which are all limited to a highly restricted
   set of subcategoriz ...

2 Special issue on using large corpora: I: Generalized probabilistic LR parsing of natural language
   (Corpora) with unification-based grammars
   Ted Briscoe, John Carroll
   March 1993 **Computational Linguistics**, Volume 19 Issue 1
   Full text available: 📄 pdf(2.62
                       MB) 📄   Additional Information: full citation, abstract, references, citings
                       Publisher Site

   We describe work toward the construction of a very wide-coverage probabilistic parsing system for
   natural language (NL), based on LR parsing techniques. The system is intended to rank the large
   number of syntactic analyses produced by NL grammars according to the frequency of occurrence
   of the individual rules deployed in each analysis. We discuss a fully automatic procedure for
   constructing an LR parse table from a unification-based grammar formalism, and consider the
   suitability of alternative ...

3 Component-based simulation environments: JSIM as a case study using Java beans
   John A. Miller, Youngfu Ge, Junxin Tao
   December 1998 **Proceedings of the 30th conference on Winter simulation**

Full text available: pdf(107.90 KB)   Additional Information: full citation, references, citings, index terms

4 WebFlow: high-level programming environment and visual authoring toolkit for high performance distributed computing
Erol Akarsu, Geoffrey C. Fox, Wojtek Furmanski, Tomasz Haupt
November 1998 **Proceedings of the 1998 ACM/IEEE conference on Supercomputing (CDROM)**
Full text available: html(22.04 KB)   Additional Information: full citation, abstract, references, citings

We developed a platform independent, three-tier system, called WebFlow. The visual authoring tools implemented in the front end integrated with the middle tier network of servers based on the industry standards and following distributed object paradigm, facilitate seamless integration of commodity software components. We add high performance to commodity systems using GLOBUS metacomputing toolkit as the backend. We have explained these ideas in general before, and here for the first time we desc ...

Keywords: HPCC, Java, WebFlow, distributed objects, globus, metacomputing, three tier architecture, visual authoring tools, web server

5 Book reviews: Review of "Corpus linguistics and the automatic analysis of English" by Nelleke Oostdijk. Editions Rodopi 1991.
Ted Briscoe
March 1993 **Computational Linguistics**, Volume 19 Issue 1
Full text available: pdf(274.82 KB)
Publisher Site   Additional Information: full citation, references

6 The middleware muddle
David Ritter
December 1998 **ACM SIGMOD Record**, Volume 27 Issue 4
Full text available: pdf(643.46 KB)   Additional Information: full citation, abstract, index terms

A new menagerie of middleware is emerging. These products promise great flexibility in partitioning enterprise applications across the diverse corporate computing landscape. What factors should you consider when choosing a solution, and how do current products stack up? More important to the focus of this article, what role should Web servers play?

7 Java resources for computer science instruction
Joseph Bergin, Thomas L. Naps, Constance G. Bland, Stephen J. Hartley, Mark A. Holliday, Pamela B. Lawhead, John Lewis, Myles F. McNally, Christopher H. Nevison, Cheng Ng, George J. Pothering, Tommi Teräsvirta
December 1998 **Working Group reports of the 3rd annual SIGCSE/SIGCUE ITiCSE conference on Integrating technology into computer science education**
Full text available: pdf(107.98   Additional Information: full citation, references, citings, index

KB)   terms

8 Java resources for computer science instruction
Joseph Bergin, Thomas L. Naps, Constance G. Bland, Stephen J. Hartley, Mark A. Holliday, Pamela
B. Lawhead, John Lewis, Myles F. McNally, Christopher H. Nevison, Cheng Ng, George J. Pothering,
Tommi Teräsvirta
October 1998 **ACM SIGCUE Outlook,** Volume 26 Issue 4
Full text available: pdf(2.23   Additional Information: full citation, abstract, references, index
                      MB)   terms

The goal of this working group was to collect, evaluate, and foster the development of resources to
serve as components of both new and revised traditional courses that emphasize object-oriented
software development using Java. These courses could, for example, integrate Internet-based
distributed programming, concurrency, database programming, graphics and visualization, human
interface design and object-oriented development. They could therefore also be suitable as capstone
courses in computer ...

9 Java resources for computer science instruction
Joseph Bergin, Thomas L. Naps, Constance G. Bland, Stephen J. Hartley, Mark A. Holliday, Pamela
B. Lawhead, John Lewis, Myles F. McNally, Christopher H. Nevison, Cheng Ng, George J. Pothering,
Tommi Teräsvirta
December 1998 **ACM SIGCSE Bulletin,** Volume 30 Issue 4
Full text available: pdf(2.29
                      MB)   Additional Information: full citation, abstract, citings, index terms

The goal of this working group was to collect, evaluate, and foster the development of resources to
serve as components of both new and revised traditional courses that emphasize object-oriented
software development using Java. These courses could, for example, integrate Internet-based
distributed programming, concurrency, database programming, graphics and visualization, human
interface design and object-oriented development. They could therefore also be suitable as capstone
courses in computer ...

Results 1 - 9 of 9

Terms of Usage   Privacy Policy   Code of Ethics   Contact Us

Useful downloads: Adobe Acrobat   QuickTime   Windows Media Player   Real Playe

IEEE Xplore

Welcome United States Patent and Trademark
Office

Search Results

BROWSE   SEARCH   IEEE XPLORE
GUIDE

Results for "(((test* beans network distributed ejb remote*)<in>metadata)) <and>   ✉e-mail
(pyr >= 1990 <..."
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in
Descending order.

» **Search Options**

View Session History
New Search

Modify Search

(((test* beans network distributed ejb remote*)<in>metadata)) <and> (pyr

☐ Check to search only within this results set

» **Key**

**Display
Format:**   ⦿ Citation ⦾ Citation & Abstract

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages
assistance revising your search.

Help   Contact l
Securi

Indexed by
Inspec

PORTAL

USPTO

Search: ⊙ The ACM Digital Library   ○ The Guide

+test +beans +network

THE ACM DIGITAL LIBRARY

℟ Feedback   Report a problem   Satisfaction sui

Published since June 1990 and Published before January 1999
Terms used **test beans network**

Found **148** of 4S

Sort results by	relevance ▼	❖ Save results to a Binder	Try an Advanced Search
		⍰ Search Tips	Try this search in The ACM Guide
Display results	expanded form ▼	☐ Open results in a new window	

Results 1 - 20 of 148   Result page: **1** 2 3 4 5 6 7 8   next

Relevance scale ☐ ⊟ ⊟

1   Computational techniques for accurate performance evaluation of multirate, multihop communication networks
    Albert G. Greenberg, R. Srikant
    May 1995 **ACM SIGMETRICS Performance Evaluation Review , Proceedings of the 1995
         ACM SIGMETRICS joint international conference on Measurement and modeling
         of computer systems**, Volume 23 Issue 1
    Full text available: 📖 pdf(843.59   Additional Information: full citation, abstract, references, index
                KB)   terms

    Computational techniques are presented for connection-level performance evaluation of
    communication networks, with stochastic multirate traffic, state dependent admission control,
    alternate routing, and general topology --- all characteristics of emerging integrated service
    networks. The techniques involve solutions of systems of fixed point equations, which estimate
    equilibrium network behavior. Though similar techniques have been applied with success to
    single-rate fully connected networks, th ...

2   Papers: Context-agile encryption for high speed communication networks
    Lyndon G. Pierson, Edward L. Witzke, Mark O. Bean, Gerry J. Trombley
    January 1999 **ACM SIGCOMM Computer Communication Review**, Volume 29 Issue 1
    Full text available: 📖 pdf(1.43
                MB)   Additional Information: full citation, abstract, references

    Different applications have different security requirements for data privacy, data integrity, and
    authentication. Encryption is one technique that addresses these requirements. Encryption
    hardware, designed for use in high-speed communications networks, can satisfy a wide variety of
    security requirements if the hardware implementation is key-agile, key length-agile, mode-agile,
    and algorithm-agile. Hence, context-agile encryption provides enhanced solutions to the secrecy,
    interoperability, and ...

3   The interdependence between delay-optimization of synthesized networks and testing
    T. W. Williams, Bill Underwood, M. R. Mercer
    June 1991 **Proceedings of the 28th conference on ACM/IEEE design automation**
    Full text available: 📖 pdf(638.34   Additional Information: full citation, references, citings, index

KB)   terms

4 Adding networking to hypertext: can it be done transparently?
Peter Brown
September 1994 **Proceedings of the 1994 ACM European conference on Hypermedia technology**
Full text available: ▓ pdf(818.62   Additional Information: full citation, abstract, references, index
        KB)   terms

Networks are becoming increasingly available and hypertext systems with networking capabilities
are currently enjoying exponential growth. The vast majority of hypertext systems were not,
however, designed to cater for networking. This paper examines whether it is possible to add
networking to such systems and, if so, whether it can be done without upsetting existing
hyperdocuments, existing authors and existing readers. The examination is done using one
specific hypertext system, UNIX Guid ...

Keywords: GUIDE, active document, distributed hyperdocument, file, link, storage, wide-area
network

5 Component-based simulation environments: JSIM as a case study using Java beans
John A. Miller, Youngfu Ge, Junxin Tao
December 1998 **Proceedings of the 30th conference on Winter simulation**
Full text available: ▓ pdf(107.90   Additional Information: full citation, references, citings, index
        KB)   terms

6 An approach to large-scale collection of application usage data over the Internet
David M. Hilbert, David F. Redmiles
April 1998 **Proceedings of the 20th international conference on Software engineering**
Full text available: ▓ pdf(1.31
                     MB) ▓   Additional Information: full citation, references, citings, index
                     Publisher Site   terms

7 Prototyping: tools and techniques: improving software and documentation quality through rapid
prototyping
Michael Thompson, Nina Wishbow
November 1992 **Proceedings of the 10th annual international conference on Systems
            documentation**
Full text available: ▓ pdf(874.57
                     KB)   Additional Information: full citation, references, index terms

8 Agents for collecting application usage data over the Internet
David M. Hilbert, David F. Redmiles
May 1998 **Proceedings of the second international conference on Autonomous agents**

Full text available: pdf(1.23 MB)   Additional Information: full citation, references, citings, index terms

9 Software components using symbolic computation for problem solving environments
Y. N. Lakshman, Bruce Char, Jeremy Johnson
August 1998 **Proceedings of the 1998 international symposium on Symbolic and algebraic computation**
Full text available: pdf(319.23 KB)   Additional Information: full citation, references, citings, index terms

10 Nearly-linear size holographic proofs
Alexander Polishchuk, Daniel A. Spielman
May 1994 **Proceedings of the twenty-sixth annual ACM symposium on Theory of computing**
Full text available: pdf(1.03 MB)   Additional Information: full citation, references, citings, index terms

11 Introduction to SILK and Java-based simulation
Kevin J. Healy, Richard A. Kilgore
December 1998 **Proceedings of the 30th conference on Winter simulation**
Full text available: pdf(101.22 KB)   Additional Information: full citation, references, citings, index terms

12 Rover: a toolkit for mobile information access
A. D. Joseph, A. F. de Lespinasse, J. A. Tauber, D. K. Gifford, M. F. Kaashoek
December 1995 **ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth ACM symposium on Operating systems principles,** Volume 29 Issue 5
Full text available: pdf(2.18 MB)   Additional Information: full citation, references, citings, index terms

13 Progress toward automated software testing
Richard A. DeMillo
May 1991 **Proceedings of the 13th international conference on Software engineering**
Full text available: pdf(355.71 KB)   Additional Information: full citation, references, citings

14 Artificial neural network models for texture classification via: the Radon transform
A. D. Kulkarni, P. Byars
March 1992 **Proceedings of the 1992 ACM/SIGAPP symposium on Applied computing: technological challenges of the 1990's**
Full text available: pdf(448.54

KB)   Additional Information: full citation, references, index terms

15 Help design challenges in network computing
Ben Gelernter
September 1998 **Proceedings of the 16th annual international conference on Computer documentation**
Full text available: pdf(1.12 MB)   Additional Information: full citation, references, index terms

  Keywords: documentation, help, information architecture, network computing, network computing architecture, online help, thin clients, user assistance

16 Reflections on I/Design: user interface design at a startup
Allison L. Hansen
March 1997 **Proceedings of the SIGCHI conference on Human factors in computing systems**
Full text available: pdf(925.62 KB)   Additional Information: full citation, index terms

  Keywords: Web measurement, World-Wide Web, design process, iterative design, paper prototyping, startup company, user interface design, user-centered design

17 Measuring perceived quality of speech and video in multimedia conferencing applications
Anne Watson, M. Angela Sasse
September 1998 **Proceedings of the sixth ACM international conference on Multimedia**
Full text available: pdf(735.59 KB)   Additional Information: full citation, references, citings, index terms

  Keywords: speech quality, subjective measurement, video quality

18 Class discussion by computer: a case study
A. Michael Berman
March 1992 **ACM SIGCSE Bulletin , Proceedings of the twenty-third SIGCSE technical symposium on Computer science education,** Volume 24 Issue 1
Full text available: pdf(475.65 KB)   Additional Information: full citation, references, citings, index terms

19 Tracking point of view in narrative
Janyce M. Wiebe
June 1994 **Computational Linguistics,** Volume 20 Issue 2

Full text available: 📄 pdf(2.85 MB) 📄   Additional Information: full citation, abstract, references, citings
Publisher Site

Third-person fictional narrative text is composed not only of passages that objectively narrate events, but also of passages that present characters' thoughts, perceptions, and inner states. Such passages take a character's **psychological point of view**. A language understander must determine the current psychological point of view in order to distinguish the beliefs of the characters from the facts of the story, to correctly attribute beliefs and other attitudes to their sources, and to un ...

20 Merging component models and architectural styles
Rema Natarajan, David S. Rosenblum
November 1998 **Proceedings of the third international workshop on Software architecture**
Full text available: 📄 pdf(355.51 KB)   Additional Information: full citation, references, index terms

Keywords: C2, JavaBeans, architectural style, component standards, connectors, software architecture

Results 1 - 20 of 148   Result page: **1** 2 3 4 5 6 7 8 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM Inc.
Terms of Usage   Privacy Policy   Code of Ethics   Contact Us

Useful downloads: 📄 Adobe Acrobat   ◎ QuickTime   ▦ Windows Media Player   ▧ Real Playe

Google Scholar BETA

| test ejb network | 1990 | - | 1999 | Search |

Scholar

Results **1 - 10** of about **212** for **test ejb network**. (0.06 seconds)

... I, II, III, and XI), fibril-associated collagen(type IX), and **network**-forming collagen(type X) ...
H Kuivaniemi, G Tromp, DJ Prockop - Human Mutation, 1997 - doi.wiley.com
... two-thirds of the known collagens are nonfibrillar and are divided into
network-forming collagens ... JBC 266:21827, 1991 Gly85ÃVal Mild OI Valli et al., **EJB** ...
Cited by 100 - Web Search - doi.wiley.com - ncbi.nlm.nih.gov

Aspects of Enterprise Java Beans
G Blank, G Vayngrib - ECOOP Workshops, 1998 - trese.cs.utwente.nl
... based GUI tool allows to deploy, **test** and control ... applications on servers across
the **network** • Rapid prototyping ... Client and server stubs, **EJB** home and object ...
Cited by 4 - View as HTML - Web Search - dcs.bbk.ac.uk - pliab.cs.nthu.edu.tw - springerlink.com - all
5 versions »

A transmission **network** model for multi-area reliability studies
AD Patton, SK Sung - IEEE Transactions on Power Systems, 1993 - ieeexplore.ieee.org
... are given for the IEEE 118 bus **test** system and a ... simulation model and with the
transmission **network** modeled using an ... area i and all contributing areas = EjB(i,j ...
Cited by 2 - Web Search - ieeexplore.ieee.org

An Integrated **Network** Component Architecture
I Ben-Shaul, JW Gish, W Robinson - IEEE Software, 1998 - ieeexplore.ieee.org
... may be reconfigured as a result of changes in processor loads or **network** congestion
between ... We chose the Service Provisioning Scenario to **test** the architecture ...
Cited by 6 - Web Search - portal.acm.org - portal.acm.org - csa.com

A Mini-Pattern Language for Distributed Component Design
K Brown, P Eskelin, N Pryce - PLOP 1999 Conference. Pattern Languages of Programs, August, 1999 -
st-www.cs.uiuc.edu
... happen in less-controlled development, **test**, or production ... by clients of a Session
EJB acting as ... be sent in both directions across the **network** connection (from ...
Cited by 2 - View as HTML - Web Search - jerry.cs.uiuc.edu - jerry.cs.uiuc.edu - postech.ac.kr

A small pattern language for Distributed Component Design
K Brown, P Eskelin, N Pryce - Pattern Languages of Programs(PLoP'99) Conference, ..., 1999 -
members.aol.com
... may be a replicate in RMI (and by extension, **EJB**). ... to notice that they are crossing
the **network** a LOT ... Testing becomes problematic, since every **test** must be done ...
Cited by 1 - View as HTML - Web Search - members.aol.com - 61.136.61.58

WebFlow-High-Level Programming Environment and Visual Authoring Toolkit for High Performance
...
E Akarsu, GC Fox, W Furmanski, T Haupt - Proceedings of Supercomputing, 1998 -
doi.ieeecomputersociety.org

... in the front end integrated with the middle tier **network** of servers ... such as
CORBA[4], DCOM[5] and Enterprise JavaBeans (**EJB**)[6]. We ... WebFlow **test** application ...
Cited by 31 - Web Search - portal.acm.org - new-npac.org - portal.acm.org

A thermodynamic model for the cooperative functional properties of the tetraheme cytochrome c 3 from

M COLETTA, T CATARINO, J LeGALL, AV XAVIER - European Journal of Biochemistry, 1991 -
blackwell-synergy.com
... (Received May 7, 1991) - **EJB** 91 0595 ... 6, which reflect three variations for the
interaction **network**. ... redox poten- tials represents a stringent **test** for the ...
Cited by 15 - Web Search - ejbiochem.org - ncbi.nlm.nih.gov - csa.com

Inhibition of chloroplast ATPase by the K
P SCHULENBURG, M SCHWARZ, R WAGNER - Eur. J. Biochem, 1992 - blackwell-synergy.com
... (Received May 14/August 10,1992) - **EJB** 92 0663 ... like channel or transporting H+ by
a hydrogen-bonded **network**. ... reactions were carried out in small **test** tubes in ...
Web Search - ejbiochem.org - ncbi.nlm.nih.gov - csa.com

Computer analysis of DNA and protein sequences
G von Heijne - Eur J Biochem, 1991 - blackwell-synergy.com
... (Received November 23, 1990) - **EJB** 90 1388 ... accepted as useful, some kind of statistical
test to determine ... 1. A hypothetical two-layer neural **network** trained to ...
Cited by 8 - Web Search - ejbiochem.org - ncbi.nlm.nih.gov - csa.com

Gooooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

test ejb network   Search

Google Home - About Google - About Google Scholar

©2005 Google